

```

<?xml version="1.0"?>
<!--*- mode: xml -*-->
<interface>
  <object class="GtkFrame" id="lock-dialog">
    <property name="visible">True</property>
    <property name="width_request">610</property>
    <property name="height_request">300</property>
    <property name="default_width">610</property>
    <property name="default_height">300</property>
    <property name="label_xalign">0</property>
    <property name="label_yalign">0.5</property>
    <property name="shadow_type">GTK_SHADOW_OUT</property>
    <child>
      <object class="GtkAlignment" id="alignment1">
        <property name="border_width">12</property>
        <property name="visible">True</property>
        <property name="xalign">0.5</property>
        <property name="yalign">0.5</property>
        <property name="xscale">1</property>
        <property name="yscale">1</property>
        <property name="top_padding">0</property>
        <property name="bottom_padding">0</property>
        <property name="left_padding">0</property>
        <property name="right_padding">0</property>
        <child>
          <object class="GtkVBox" id="lock-box">
            <property name="border_width">18</property>
            <property name="visible">True</property>
            <property name="homogeneous">False</property>
            <property name="spacing">0</property>
            <child>
              <object class="GtkNotebook" id="notebook">
                <property name="visible">True</property>
                <property name="show_tabs">False</property>
                <property name="show_border">False</property>
                <property name="tab_pos">GTK_POS_TOP</property>
                <property name="scrollable">False</property>
                <property name="enable_popup">False</property>
                <child>
                  <object class="GtkAlignment" id="alignment2">
                    <property name="visible">True</property>
                    <property name="xalign">0.5</property>
                    <property name="yalign">0.5</property>
                    <property name="xscale">1</property>
                    <property name="yscale">1</property>
                    <property name="top_padding">0</property>
                    <property name="bottom_padding">0</property>
                    <property name="left_padding">0</property>
                    <property name="right_padding">0</property>
                    <child>
                      <object class="GtkVBox" id="vbox2">
                        <property name="visible">True</property>
                        <property name="homogeneous">False</property>
                        <property name="spacing">12</property>
                        <child>
                          <object class="GtkImage" id="auth-face-image">
                            <property name="visible">True</property>
                            <property name="xalign">0.5</property>
                            <property name="yalign">1</property>
                            <property name="xpad">0</property>
                            <property name="ypad">0</property>
                          </object>
                        <packing>
                          <property name="padding">0</property>
                          <property name="expand">True</property>
                          <property name="fill">True</property>
                        </packing>
                      </child>
                    </child>
                  <child>
                    <object class="GtkVBox" id="vbox3">
                      <property name="visible">True</property>
                      <property name="homogeneous">False</property>
                      <property name="spacing">0</property>
                      <child>
                        <object class="GtkLabel" id="auth-realname-label">
                          <property name="visible">True</property>
                          <property name="label" translatable="yes">&lt;span size="x-large"&gt;%R&lt;/span&gt;</property>
                          <property name="use_underline">False</property>
                          <property name="use_markup">True</property>
                          <property name="justify">GTK_JUSTIFY_LEFT</property>
                          <property name="wrap">False</property>
                          <property name="selectable">False</property>
                          <property name="xalign">0.5</property>
                          <property name="yalign">0.5</property>
                          <property name="xpad">0</property>
                          <property name="ypad">0</property>
                          <property name="ellipsize">PANGO_ELLIPSIZE_NONE</property>
                          <property name="width_chars">-1</property>
                          <property name="single_line_mode">False</property>
                          <property name="angle">0</property>
                        </object>
                      </child>
                    </child>
                  </child>
                </child>
              </child>
            </child>
          </child>
        </child>
      </child>
    </child>
  </object>
</interface>

```

```

</object>
<packing>
  <property name="padding">0</property>
  <property name="expand">False</property>
  <property name="fill">False</property>
</packing>
</child>
<child>
<object class="GtkLabel" id="auth-username-label">
  <property name="visible">True</property>
  <property name="label" translatable="yes">&lt;span size="small"&gt;%U on %h at %s&lt;/span&gt;</property>
  <property name="use_underline">False</property>
  <property name="use_markup">True</property>
  <property name="justify">GTK_JUSTIFY_LEFT</property>
  <property name="wrap">False</property>
  <property name="selectable">False</property>
  <property name="xalign">0.5</property>
  <property name="yalign">0.5</property>
  <property name="xpad">0</property>
  <property name="ypad">0</property>
  <property name="ellipsize">PANGO_ELLIPSIZE_NONE</property>
  <property name="width_chars">-1</property>
  <property name="single_line_mode">False</property>
  <property name="angle">0</property>
</object>
<packing>
  <property name="padding">0</property>
  <property name="expand">False</property>
  <property name="fill">False</property>
</packing>
</child>
</object>
<packing>
  <property name="padding">0</property>
  <property name="expand">True</property>
  <property name="fill">True</property>
</packing>
</child>
<child>
<object class="GtkLabel" id="status-message-label">
  <property name="visible">True</property>
  <property name="label" translatable="yes"/>
  <property name="use_underline">False</property>
  <property name="use_markup">False</property>
  <property name="justify">GTK_JUSTIFY_LEFT</property>
  <property name="wrap">True</property>
  <property name="selectable">False</property>
  <property name="xalign">0.5</property>
  <property name="yalign">0.5</property>
  <property name="xpad">0</property>
  <property name="ypad">0</property>
  <property name="ellipsize">PANGO_ELLIPSIZE_NONE</property>
  <property name="width_chars">-1</property>
  <property name="single_line_mode">False</property>
  <property name="angle">0</property>
</object>
<packing>
  <property name="padding">0</property>
  <property name="expand">True</property>
  <property name="fill">True</property>
</packing>
</child>
<child>
<object class="GtkVBox" id="auth-prompt-box">
  <property name="visible">True</property>
  <property name="homogeneous">False</property>
  <property name="spacing">0</property>
  <child>
<object class="GtkHBox" id="hbox1">
  <property name="visible">True</property>
  <property name="homogeneous">False</property>
  <property name="spacing">6</property>
  <child>
<object class="GtkLabel" id="auth-prompt-label">
  <property name="label" translatable="yes"/>
  <property name="use_underline">False</property>
  <property name="use_markup">False</property>
  <property name="justify">GTK_JUSTIFY_LEFT</property>
  <property name="wrap">False</property>
  <property name="selectable">False</property>
  <property name="xalign">0</property>
  <property name="yalign">0.5</property>
  <property name="xpad">0</property>
  <property name="ypad">0</property>
  <property name="ellipsize">PANGO_ELLIPSIZE_NONE</property>
  <property name="width_chars">-1</property>
  <property name="single_line_mode">False</property>
  <property name="angle">0</property>
</object>
</child>
</packing>

```



```

<property name="angle">0</property>
</object>
<packing>
  <property name="padding">0</property>
  <property name="expand">False</property>
  <property name="fill">False</property>
</packing>
</child>
<child>
  <object class="GtkHButtonBox" id="auth-action-area">
    <property name="visible">True</property>
    <property name="layout_style">GTK_BUTTONBOX_END</property>
    <property name="spacing">1</property>
    <child>
      <object class="GtkButton" id="auth-note-button">
        <property name="visible">True</property>
        <property name="can_default">True</property>
        <property name="can_focus">True</property>
        <property name="label" translatable="yes">_Leave Message</property>
        <property name="use_underline">True</property>
        <property name="relief">GTK_RELIEF_NORMAL</property>
        <property name="focus_on_click">False</property>
      </object>
    </child>
    <child>
      <object class="GtkButton" id="auth-switch-button">
        <property name="visible">True</property>
        <property name="can_default">True</property>
        <property name="can_focus">True</property>
        <property name="label" translatable="yes">_Switch User</property>
        <property name="use_underline">True</property>
        <property name="relief">GTK_RELIEF_NORMAL</property>
        <property name="focus_on_click">False</property>
      </object>
    </child>
    <child>
      <object class="GtkButton" id="auth-logout-button">
        <property name="visible">True</property>
        <property name="can_default">True</property>
        <property name="can_focus">True</property>
        <property name="label" translatable="yes">_Log Out</property>
        <property name="use_underline">True</property>
        <property name="relief">GTK_RELIEF_NORMAL</property>
        <property name="focus_on_click">False</property>
      </object>
    </child>
    <child>
      <object class="GtkButton" id="auth-cancel-button">
        <property name="visible">True</property>
        <property name="can_default">True</property>
        <property name="can_focus">True</property>
        <property name="label" translatable="yes">_Cancel</property>
        <property name="use_underline">True</property>
        <property name="relief">GTK_RELIEF_NORMAL</property>
        <property name="focus_on_click">False</property>
      </object>
    </child>
    <child>
      <object class="GtkButton" id="auth-unlock-button">
        <property name="visible">True</property>
        <property name="can_default">True</property>
        <property name="can_focus">True</property>
        <property name="label" translatable="yes">_Unlock</property>
        <property name="use_underline">True</property>
        <property name="relief">GTK_RELIEF_NORMAL</property>
        <property name="focus_on_click">True</property>
      </object>
    </child>
  </object>
<packing>
  <property name="padding">0</property>
  <property name="expand">True</property>
  <property name="fill">True</property>
</packing>
</child>
</object>
</child>
</object>
<packing>
  <property name="tab_expand">False</property>
  <property name="tab_fill">True</property>
</packing>
</child>
<child type="tab">
  <object class="GtkLabel" id="label1">
    <property name="visible">True</property>
    <property name="label" translatable="yes"/>
    <property name="use_underline">False</property>
    <property name="use_markup">False</property>
    <property name="justify">GTK_JUSTIFY_LEFT</property>
  </object>
</child>

```

```

<property name="wrap">False</property>
<property name="selectable">False</property>
<property name="xalign">0.5</property>
<property name="yalign">0.5</property>
<property name="xpad">0</property>
<property name="ypad">0</property>
<property name="ellipsize">PANGO_ELLIPSIZE_NONE</property>
<property name="width_chars">-1</property>
<property name="single_line_mode">False</property>
<property name="angle">0</property>
</object>
</child>
<child>
<object class="GtkVBox" id="note-tab">
<property name="visible">True</property>
<property name="homogeneous">False</property>
<property name="spacing">10</property>
<child>
<object class="GtkLabel" id="note-tab-label">
<property name="visible">True</property>
<property name="label" translatable="yes">&lt;b&gt;Leave a message for %R:&lt;b&gt;</property>
<property name="use_underline">False</property>
<property name="use_markup">True</property>
<property name="justify">GTK_JUSTIFY_LEFT</property>
<property name="wrap">False</property>
<property name="selectable">False</property>
<property name="xalign">0</property>
<property name="yalign">0.5</property>
<property name="xpad">0</property>
<property name="ypad">0</property>
<property name="ellipsize">PANGO_ELLIPSIZE_NONE</property>
<property name="width_chars">-1</property>
<property name="single_line_mode">False</property>
<property name="angle">0</property>
</object>
<packing>
<property name="padding">0</property>
<property name="expand">False</property>
<property name="fill">False</property>
</packing>
</child>
<child>
<object class="GtkScrolledWindow" id="scrolledwindow1">
<property name="visible">True</property>
<property name="can_focus">True</property>
<property name="hscrollbar_policy">GTK_POLICY_AUTOMATIC</property>
<property name="vscrollbar_policy">GTK_POLICY_AUTOMATIC</property>
<property name="shadow_type">GTK_SHADOW_IN</property>
<property name="window_placement">GTK_CORNER_TOP_LEFT</property>
<child>
<object class="GtkTextView" id="note-text-view">
<property name="visible">True</property>
<property name="can_focus">True</property>
<property name="editable">True</property>
<property name="overwrite">False</property>
<property name="accepts_tab">True</property>
<property name="justification">GTK_JUSTIFY_LEFT</property>
<property name="wrap_mode">GTK_WRAP_WORD</property>
<property name="cursor_visible">True</property>
<property name="pixels_above_lines">0</property>
<property name="pixels_below_lines">0</property>
<property name="pixels_inside_wrap">0</property>
<property name="left_margin">0</property>
<property name="right_margin">0</property>
<property name="indent">0</property>
</object>
</child>
</object>
<packing>
<property name="padding">0</property>
<property name="expand">True</property>
<property name="fill">True</property>
</packing>
</child>
<child>
<object class="GtkHButtonBox" id="hbuttonbox1">
<property name="visible">True</property>
<property name="layout_style">GTK_BUTTONBOX_END</property>
<property name="spacing">6</property>
<child>
<object class="GtkButton" id="note-cancel-button">
<property name="visible">True</property>
<property name="can_default">True</property>
<property name="can_focus">True</property>
<property name="label">gtk-cancel</property>
<property name="use_stock">True</property>
<property name="relief">GTK_RELIEF_NORMAL</property>
<property name="focus_on_click">True</property>
</object>
</child>
</object>
</child>

```

```
<child>
  <object class="GtkButton" id="note-ok-button">
    <property name="visible">True</property>
    <property name="can_default">True</property>
    <property name="can_focus">True</property>
    <property name="label">gtk-save</property>
    <property name="use_stock">True</property>
    <property name="relief">GTK_RELIEF_NORMAL</property>
    <property name="focus_on_click">True</property>
  </object>
</child>
</object>
<packing>
  <property name="padding">0</property>
  <property name="expand">False</property>
  <property name="fill">False</property>
</packing>
</child>
</object>
<packing>
  <property name="tab_expand">False</property>
  <property name="tab_fill">True</property>
</packing>
</child>
<child type="tab">
  <object class="GtkLabel" id="label9">
    <property name="visible">True</property>
    <property name="label" translatable="yes"/>
    <property name="use_underline">False</property>
    <property name="use_markup">False</property>
    <property name="justify">GTK_JUSTIFY_LEFT</property>
    <property name="wrap">False</property>
    <property name="selectable">False</property>
    <property name="xalign">0.5</property>
    <property name="yalign">0.5</property>
    <property name="xpad">0</property>
    <property name="ypad">0</property>
    <property name="ellipsize">PANGO_ELLIPSIZE_NONE</property>
    <property name="width_chars">-1</property>
    <property name="single_line_mode">False</property>
    <property name="angle">0</property>
  </object>
</child>
</object>
<packing>
  <property name="padding">0</property>
  <property name="expand">True</property>
  <property name="fill">True</property>
</packing>
</child>
</object>
</child>
</object>
<child>
  <placeholder/>
</child>
</object>
</interface>
```